

BTR (Between the Rack) Vertical Cable Manager SOR (Side of Rack) Vertical Cable Manager

Features and Benefits

Molex Premise Networks Vertical Cable Manager Panels use a new Two Position Double Density Cable Management Rings. Constructed of heavy duty black powdercoated steel, the panels accommodate up to 200 Enhanced Category 5 cables on the sides of open bay racks and between rack groupings. The BTR and SOR are sold in sets of two.

Technical Information

Mechanical Characteristics

Panel Material: 16 Gauge CRS (Cold Rolled Steel)
 Thickness: .060" (1.52mm)
 Finish: Black powder coat
 Rings: Black Lexan 943A-701

Cable Capacity


160-200 Enhanced Category 5 Cables

Panel Dimensions

SOR: 1066mm x 101mm x 127mm
 BTR: 1016mm x 101mm x 235mm

Shipping Weight

SOR: 5.8kg est.
 BTR: 6.8 kg



Front to back feed-through is created by mounting the two BTR Panels even with the top and bottom of the rack.

ORDERING INFORMATION

Order No.	SAP No.	Description
CMA-00001	Consult Molex	BTR Between the Rack Vertical Cable Manager - Set of Two
CMA-00002	Consult Molex	SOR Side of Rack Vertical Cable Manager - Set of Two

MOLEX PREMISE NETWORKS

Americas
 Tel: 630 969 4550
 www.molexpn.com

EMEA
 Tel: 44 (0)2392 205800
 www.molexpn.co.uk

APAC
 Tel: 61 3 9971 7111
 www.molexpn.com.au