



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 3152831CRT-001b

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Dave Harney

Contact: Mr. Dave Harney

Verification/Report Number: 3104631CRT-003

Product Tested: 4 pair, 24 AWG, U/UTP, LSOH, Non-Plenum Riser, Horizontal (solid) Cable.

Model(s) and or Brand Name: CAA-00307

Standard(s)/Specification: ANSI/TIA-568-C.2 Category 5e and ISO/IEC 11801 Category 5e with the applicable electrical transmission characteristics

Jacket marking shall include: ETL Verified to ANSI/TIA-568-C.2 Category 5e and ISO/IEC 11801 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 5/15/2008

Date Revised: 7/30/2010

Approved By:

Kathy Heath
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 100089860CRT-001g

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Verification/Report Number: J98003068

Product Tested: 4 pair, 24 AWG, UTP, CMP, Plenum, Horizontal (Solid) Cable.

Model(s) and or Brand Name: CAA-0182P**

Standard(s)/Specification: ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e with the applicable electrical transmission characteristics

Jacket marking shall include: ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/10/2010

Approved By: *Kathy Heath*
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 100089860CRT-001h

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

- Verification/Report Number:** J98036069
- Product Tested:** 4 pair, 24 AWG, UTP, CMR, Non-Plenum Riser, Horizontal (Solid) Cable.
- Model(s) and or Brand Name:** CAA-0182R**
- Standard(s)/Specification:** ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e with the applicable electrical transmission characteristics
- Jacket marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/10/2010

Approved By: *Kathy Heath*
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 100089860CRT-001e

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Verification/Report Number: J98036071

Product Tested: 4 pair, 24 AWG, UTP, CMP, Plenum, Horizontal (Solid) Cable.

Model(s) and or Brand Name: CAA-0184P**

Standard(s)/Specification: ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e with the applicable electrical transmission characteristics

Jacket marking shall include: ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/10/2010

Approved By:

Kathy Heath
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 100089860CRT-001f

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

- Verification/Report Number:** J98036070
- Product Tested:** 4 pair, 24 AWG, UTP, CMR, Non-Plenum Riser, Horizontal (Solid) Cable.
- Model(s) and or Brand Name:** CAA-0184R**
- Standard(s)/Specification:** ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e with the applicable electrical transmission characteristics
- Jacket marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/10/2010

Approved By: *Kathy Heath*
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11
 Cortland, New York 13045 USA
 Phone Number: (800) 345-3851
 Fax Number: (607) 758-6637
 Web: www.intertek.com

ETL Verified Certificate of Conformance Number: 100089860CRT-001k

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

Applicant:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Manufacturer:

Molex Premise Networks
 2222 Wellington Court
 Lisle, IL 60532

Contact: Mr. Jim Duran

Verification/Report Number: 3034960

Product Tested: 25 pair, 24 AWG, UTP, CMP, Plenum, Backbone Cable.

Model(s) and or Brand Name: CAA-S2523**

Standard(s)/Specification: ANSI/TIA-568-C.2 Category 5e with the applicable electrical transmission characteristics

Jacket marking shall include: ETL Verified to ANSI/TIA-568-C.2 Category 5e.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/10/2010

Approved By: Kathy Heath
 Kathy Heath, Program Coordinator

Antoine Pelletier
 Antoine Pelletier, Engineer

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.